

DOMINO CATALOG

BOTTLE AND CONTAINER DOMINOS
KIT DOMINOS
MICROCHIP AND DEVICE DOMINOS
MICROPLATE DOMINOS
TUBE DOMINOS



W I N T E R 2 0 1 7



Andrew Alliance



WELCOME TO THE ANDREW ALLIANCE DOMINO CATALOG

The following pages provide a listing of available Dominos offered for a large array of commonly used laboratory and production consumables. A Domino is

simply a holder for your consumables that allows the adoption of the Andrew automated pipetting system with absolute ease. Our large offering of different dominos permits scientists to implement the benefits of automation without the need of augmenting the existing workflow or products of choice.

Using a large robot for simple experimentation can be ineffective: traditional systems require a large amount of bench space and can often result in unnecessary complexity and required consumable types/formats. With our flexible and adaptable design, we have enabled scientists around the world to bring automation to the bench and to areas where it was historically challenging (inside of a hood, laminar flow cabinet, a cold room or refrigerator at 4 °C fridge) while using the products already found in the lab.

CONTACT US
www.andrewalliance.com

+41 22 518 03 57

21 Chemin Grenet
1214 Vernier, Switzerland

+1 781 761 0119

135 Beaver St
Waltham MA 02452, USA

In addition to the vast amount of consumables one can easily implement, Andrew's working deck is completely modular allowing the usage of a few dominos for basic experimentation all the way up to 13 for much more complex needs. This modularity offers a small footprint when needed while also allowing the occupation of a larger footprint when required.

Specific dominos can also support activity on the working deck such as cooling, heating, stirring, and shaking. We invite you to explore our offering.

ABOUT ANDREW ALLIANCE

The development of the Andrew product suite, guided by customers and real users, has focused on the development of companion robotics for use in laboratory and production settings.

By integrating state-of-art artificial intelligence, innovative hardware solutions, camera-based vision, and software algorithms, Andrew Alliance has created a reliable alternative to both manual pipetting and complex, expensive robots.

The multi-awarded Andrew Alliance products, Andrew™, Andrew Lab™, Andrew CaliBro™, provide a simple solution to obtaining better data without needing to change the existing liquid handling process. Andrew instruments are assembled and tested in Switzerland with complimentary offices based in Boston, MA.

BOTTLE AND CONTAINER DOMINOS




60 ML TUBE (NALGENE)

Nalgene® 2019-0060 Square Plastic Media Bottle, Clear PETG with White HDPE Screw Cap, Sterile, 60mL, Thermo Scientific. SN: 2019-0060.

200.831/1

STANDARD ✓




250 ML SCHOTT BOTTLE

Duran® laboratory 250 mL bottle, with blue cap, 94 mm x 114 mm, neck thread GLS80. PN: 21801365

200.814/1

STANDARD ✓




100 ML BOTTLE

The DURAN® Protect laboratory glass bottle may be used for especially valuable or hazardous contents. Dimensions: Ø 56 x 105 mm. (Schott Duran® CLS-1172-100).

200.844/1

STANDARD ✓




RESERVOIR WITH PYRAMIDAL BOTTOM

Reservoir for high-throughput workflows, polypropylene, reusable, standard profile, 96 pyramidal bottoms. SBS footprint. (Rainin LR-R2-PB-5).

200.697/1

STANDARD ✓




125 ML BOTTLE (NALGENE)

Nalgene® 342023-0125 Square Plastic Media Bottle with Septum Cap, Graduated, Clear PETG with HDPE Cap, Graduated, Sterile, Tray Pack, 125 mL, Thermo Scientific. Manufacturer Part No: 342023-0125.

200.843/1

STANDARD ✓




PYREX 500 ML

PYREX® 500mL Round Wide Mouth Media Storage Bottles, with GLS80 Screw Cap autoclavable (Product #1397-500). These PYREX® wide mouth bottles are designed for heavy duty storage as well as mixing and sampling. The extra wide mouth (69mm inner diameter) gives easier access for pouring and removing pastes, powders and larger items.

205.023/1

STANDARD ✓ XL






1.5 L GLASS TANK

Glass tank with total capacity of 1.5 L suitable to store high quantity of solvents or buffers

200.971/1

STANDARD



KIT DOMINOS




**GLYCOWORKS RAPIFLUOR-MS
N-GLYCAN KIT BY WATERS™**

Waters GlycoWorks™ RapiFluor-MS™ N-Glycan Kit for the fast enzymatic release and rapid labeling of N-glycans. Innovative sample preparation uses optimized deglycosylation conditions and reagents for fast release. In addition, this kit contains a novel rapid label called RapiFluor-MS, a reagent-designed to provide both the benefits of sensitive fluorescence detection matching signal intensity for mass detection.

200.973/3

STANDARD




BIOANALYZER CHIP

Microfluidic chip present in DNA and RNA Bioanalyzer kit. PN: 5067-1504

200.789/1

STANDARD




**600µL TUBES (IN WATERS 1ML
ROUND COLLECTION PLATE)**

600µL collection tubes placed in Waters 1mL Round Collection Plate. Used in Waters GlycoWorks™ RapiFluor-MS™ N-Glycan Kit.

200.776/1

RACK




**1.2 ML STRIP TUBE (GLYCOWORKS™
RAPIFLUOR-MS™ BY WATERS™)**

Cluster tubes strips are composed of 8 x 1.2mL polypropylene tubes in strips arranged in a 96 well microplate rack with lid. PN: 781500

200.938/2

HEATING/
COOLING




**MICROELUTION PLATE
(GLYCOWORKS™ RAPIFLUOR-MS™
BY WATERS™)**

MicroElution plate for Glycoworks kit by Waters. Kit PN: 176003606

200.978/1

STANDARD







BIO-PLEX KIT PRO DIABETES ASSAY BY BIO-RAD

Bio-Plex Pro™ diabetes assays are magnetic bead-based multiplex assays designed to measure multiple diabetes-related biomarkers in a minimal volume of matrix such as serum, plasma, tissue culture supernatant, or other biological fluids. The biomarkers chosen for these assays are circulating proteins involved in the regulation of glucose metabolism.

200.701/1

STANDARD




PHOTOREDOX/OPTIMIZATION PLATE

Photoredox/Optimization Plate, 96-well reaction plate. Designed to have 5% solvent loss with prolonged heating above boiling point. (Analytical #96973).

200.810/1

STANDARD



MICROCHIP AND DEVICE DOMINOS




MICRO PHOTOREDOX/ OPTIMIZATION PLATE

Anodized Aluminum Micro Photoredox/Optimization Plates. Designed to have 5% solvent loss with prolonged heating above boiling point. (Analytical #96970).

200.811/1

STANDARD




PHOTOREDOX/OPTIMIZATION PLATE 24-WELL

Photoredox/Optimization Plate, 24-well reaction plate. Designed to have 5% solvent loss with prolonged heating above boiling point. (Analytical #24253).

200.884/1

STANDARD



TIP



Assure the correct consumable is used in the domino to maintain proper performances




AXION 48-WELL PLATE

M768-KAP 48-wells high-throughput microelectrode arrays (MEA) from Axion Biosystems. The 16 electrodes per well allow for investigation of electroactive cells and tissues.

200.743/1

STANDARD






SEQUENZA IMMUNOSTAINING RACK

The Sequenza™ Slide Rack, holding 10 glass slides and Coverplates™, is a system designed for the immunolabeling of sections on glass slides. The Slide Rack holds glass slides with a Coverplate™. Reagent volumes, especially antibody, are greatly reduced using this versatile system. PN: 73310017

200.895 / 1

STANDARD




MAGNETIC BEADS

Magnetic particles used in many technological applications: bio-sensing applications, medical and biological applications, such as modified drug delivery, bio-separation, purification and screening of antibodies and proteins, etc.

200.695 / 1

STANDARD



MICROPLATE DOMINOS




96-PCR PLATE

Generic 96-well PCR microplate, It may have a skirt or be without skirt (requiring an external support). Thermo PN: AB0900


200.176 / 1

STANDARD



200.286 / 1

COOLED




96-WELL PLATE WITH V-BOTTOM

Generic 96-well microplate with V-bottom, but not a PCR microplate. The bottom shape allows for easy pipette access and it is ideal for sample recovery. Corning PN: CL53341

200.917 / 1

COOLED





384-PCR PLATE

Generic 384-well PCR microplate, It may have a skirt or be without skirt (requiring an external support). Thermo Fisher PN: AB1384

200.178 / 1

STANDARD



200.759 / 1



COOLED

TIP



Dominoes are stackable to save valuable laboratory bench space


96 - WELL PLATE

Generic 96-wells microplate. It can have a flat, round or conical bottom - but not a PCR microplate. Dead volumes minimization may imply a more precise consumable. Corning PN: CL52509




200.846 / 1

HEATING/
COOLING



200.171 / 1

STANDARD




2 ML DEEP 96 - WELL WITH ROUND BOTTOM

Full capacity, 2 mL deep 96-well plate - round bottom wells with a square section, reaching all the way down to the bench. Corning PN: 3958



200.171 / 1

STANDARD




24 - WELL PLATE

Generic 24 well microplate with flat bottom, mostly for cellular culture use (polystyrene). Also called cell culture plates. Corning PN: 32190102



200.171 / 1

STANDARD




5 ML PYRAMIDAL BOTTOM 48 - DEEPWELL PLATE

Full capacity, 5 mL deep 48-well plate - pyramidal bottom wells with a square section, reaching all the way down to the bench (Corning #P-5ML-48-C).



200.937 / 1

STANDARD




10 ML DEEP 24 - WELL

Full capacity, deep 24-well plate - round or conical bottom wells with a square section, reaching all the way down to the bench (Corning #P-DW-10ML-24-C).



200.882 / 1

STANDARD



TIP



Don't see the consumable needed for your workflow? Contact Andrew Alliance to request a custom domino.

SMALL TUBE (<3 ML) DOMINOS




0.2 ML BARCODED STORAGE TUBE (THERMO MATRIX)

Matrix™ 200 µL Clear Polypropylene Tubes, rack of 96 tubes with V-shaped bottom, Barcoded. (Thermo Fisher #3748).

200.817/1

STANDARD




0.2 ML PCR MICROTUBES

0.2 mL individual tubes are made of thin-wall polypropylene and are designed to fit precisely in thermal cycler reaction blocks to ensure optimal heat transfer to the sample. Thermo Fisher PN: AB0620

200.953/1

STANDARD




0.5 ML BARCODED STORAGE TUBE (THERMO MATRIX)

Matrix™ 0.5 mL ScrewTop Tubes in Barcoded Latch Racks. 30.48mm x 7mm without the screw cap. Plastic tubes with V- conical bottom in 96 positions Rack. Thermo Fisher PN: 3744

205.024/1

STANDARD




0.5 ML CONICAL CENTRIFUGE MICROTUBE

Small volume microtube with integrated flip cap (also called Safelock, microcentrifuge tube or Eppendorf Tube). Dimensions: 29.99x6.36mm Eppendorf PN: 0030.108.035 (European)

200.177/1

STANDARD



200.913/1

COOLED




0.5 ML MICROCENTRIFUGE SCREW CAP TUBE

0.5 mL Screw Cap centrifuge microtube with removable cap. Excellent for freezer storage or secure sample handling. Fisherbrand PN: 10493512

200.919/1


COOLED



TIP



Use cooled dominos to keep your samples at 4 °C on Andrew's working deck




0.5 ML SCREW CAP MICROTUBE WITH REMOVABLE CAP

0.5mL Screw Cap Microtube with skirt and removable cap. Excellent for freezer storage or secure sample handling. Dimension: Ø 10.1 x 48 mm (Starstedt #72.785).

200.883 / 1

INTEGRATED RACK




200.828 / 1

STANDARD




200.918 / 1

COOLED



200.701 / 1

STANDARD




0.65 ML MARSH BULLET TUBE

0.65 mL tubes, individual, natural, polypropylene. Dimensions: 46.51x6.85, SN: 1265-0000.

200.885 / 1

RACK




0.7 ML EXTERNAL THREAD JACKET SCREW CAP TUBE WITH 2 D BARCODE (FLUIDX)

0.7 mL FluidX External Thread Jacket Tube with 2D Barcode and Screw Cap in a 96-well rack (FluidX #68-0702-12).

200.986 / 1

RACK




0.5 ML VIVASPIN

Vivaspin 500 µL polycarbonate sample concentrator 3K. 50mmx11mm total dimension tubes. Comprised of a filter 500µL and an external tube 2.2mL with attachable clip. Hold up volume membrane <5 µL. Can be used in a benchtop fixed angle rotor that accepts 2.2 ml centrifuge tubes. PN:Z614041-25EA

200.774 / 1

STANDARD




0.75 ML BARCODED STORAGE TUBE (THERMO MATRIX)

Matrix™ 2D Barcoded Clear Polypropylene Open-Top Storage Tubes, rack of 96 tubes with V-shaped bottom. (Thermo Fisher #3730).

200.691 / 1

RACK






1 ML BARCODED STORAGE TUBE (FLUIDX)

1 mL 96 Well Format Sample Storage Tube With External Thread Screw Cap, 2D Barcode and Jacket. (FluidX #68-1002-00).

200.709/1

RACK




1 ML BARCODED STORAGE TUBE (THERMO MATRIX)

Matrix™ 2D Barcoded Clear Polypropylene Open-Top Storage Tubes, rack of 96 tubes with flat bottom. Maximum volume = 1 mL. (Thermo Fisher #3740).

200.753/1

RACK





1 ML HIGH RECOVERY VIAL

Screw thread glass vials with conical interior bottom for maximum retrieval of content. Capacity: 1 mL, dimensions: Ø 13 x 44 mm. (Wheaton® W013489). Stirrer not provided.

200.769/1

MAGNETIC STIRRER



200.775/1

STANDARD




1 ML CRIMPSNAP VIAL Ø11.7MM

1 mL Crimp/Snap Top Vials with snap caps or aluminum crimp seal closures. Vial diameter 11.7mm. National Scientific PN: NS-C401111

200.984/1

STANDARD




1 ML HIGH RECOVERY VIAL WITH SEPTUM

Screw thread glass vials with conical interior bottom for maximum retrieval of content. Screw cap with PTFE faced silicone liner. Capacity: 1 mL, dimensions: Ø 13 x 44 mm. (Wheaton® W986284NG).

200.716/1

STANDARD




1 ML GLASS SYRINGE BY BD

1 mL glass Syringe barrel with an included syringe. BD Hypak SCF Glass Prefillable Syringe with 1/5 inch 5 bevel thin wall needle and needle shield material that preserves the needle point integrity. PN: 11/13-1094P5-0

205.008/1

STANDARD






1.2 ML 8-TUBE STRIP IN A 96 WELL RACK

Cluster tubes strips are composed of eight 1.2 mL polypropylene tubes in strips arranged in a 96 well microplate rack with lid. Corning PN: 4408

200.761/1

RACK




1.4 ML TUBE IN 96 WELL RACK (FISHER)

1.4 mL tube in 96 well Rack (Fischer) Cat#3792,
Dimensions: 44mm x 6.87 mm. Fisher PN: 3792

200.816/1

STANDARD




1.2 ML STRIP MACROTUBES IN A 96 WELL RACK

1.2 mL strip macrotube suitable for many kind of liquid storage (Phenix Research Product #MP-1770-12).

200.760/1

STANDARD




1.5 ML BECKMAN COULTER CGE VIALS

Plastic Flat bottom CGE vials, 1.5 mL, 37x12mm. (Beckman Coulter #A62251).

200.827/1

STANDARD




1.4 ML BARCODED STORAGE TUBE (MICRONIC)

Micronic 96-4 Rack 1.4 mL tubes with TPE Push Caps / Low Profile Screw Caps or Screw Caps. 1.4mL barcoded storage tubes. (Micronic #MP32132).

200.754/1

RACK




1.5 ML CONICAL MICROTUBE

Microtube with pronounced conical bottom and integrated flip cap (also called Eppendorf tube, FlipTop tube or microcentrifuge tube). PN: 0030.125.150 (Europe), 022364111 (USA)


200.906/1

COOLED



200.173/1

STANDARD






1.5 ML HPLC HIGH RECOVERY VIAL
Glass vial for HPLC designed for high recovery in 48 position rack (Wheaton® part number 405003743). Dimensions: Ø 12 x 32mm. (Waters® #186000327c).

200.819/1


RACK



1.5 ML HPLC VIAL WITH FLAT BOTTOM
Standard HPLC glass vial with wide opening crimp cap provides a larger target area for improved autosampler accuracy. Dimensions: Ø 12 x 32 mm (Agilent #5181-3375). Stirrer not provided.

200.707/1

RACK




200.703/1

STANDARD

200.818/1

RACK





200.730/1

STANDARD

200.768/1

MAGNETIC
STIRRER




1.5 ML SCREW CAP MICROTUBE WITH REMOVABLE CAP
1.5 mL Screw Cap Microtube with skirt and removable cap. Excellent for freezer storage or secure sample handling. Dimensions: Ø 10.1 x 48 mm (Axygen™ #14 222 580).

200.850/1




COOLED



200.829/1


STANDARD



1.5 ML TUBULAR GLASS INJECTION VIAL
1.5 mL tubular glass injection. Suitable for diagnostic, pharmaceutical and healthcare applications. Schott PN: VC002-13C

200.975/1


STANDARD



1.8 ML NON-SELF-STANDING ROUND-BOTTOM THREAD CRYOTUBE
Non self-standing tube, Internal Thread cap. Intended for cryogenic transportation and storage of biological material. Example: Nunc® CryoTubes® V7884.

200.851/1

COOLED






2 ML CONICAL MICROTUBE

Microtube for centrifugation - spherical bottom, cylindrical shape and integrated flip cap (also called Eppendorf tube). PN: 0030.120.094 (Europe), 022363352 (USA).

200.173/1

STANDARD





2 ML CRYO TUBE WITH EXTERNAL THREAD SCREW CAP

FluidX 2 mL tube with external thread screw cap and protective jacket in 48 well format rack with LidLock and TwistLock [FluidX Catalogue No. 65-9001].

200.745/1

RACK




2 ML SCREW CAP MICROTUBE WITH REMOVABLE CAP

2 mL Screw Cap Microtube with skirt and removable cap. For freezer storage or secure sample handling. Dimension: Ø 10.5 x 48 mm. (Starstedt #72.664).


200.701/1

STANDARD




200.881/1

INTEGRATED
RACK




200.800/1

STANDARD



200.767/2

COOLED




2 ML STARFOOT SELF-STANDING VIALS CRYOTUBE

2 mL starfoot self-standing tube, Internal Thread cap. Intended for cryogenic transportation and storage of biological material. Example: Greiner Bio One® Cryo.s™ 122263.

200.966/1

STANDARD



TUBE DOMINOS




3.7 ML VIAL WITH FLAT BOTTOM (1 DRAM)

Reaction vials, pressure relief with capacity of 1 dram. (Chemglass CG-4912-01). Stirrer not included.


200.731/1

MAGNETIC
STIRRER



200.744/1

STANDARD






4 ML CORNING CRYOGENIC ROUND BOTTOM VIALS

Corning® 4 mL External Threaded Polypropylene Cryogenic Vial, Self-Standing with Round Bottom Cat. No. 430499.

200.886/1

STANDARD




4 ML 2R TUBULAR GLASS VIAL (SCHOTT)

Schott 4 mL 2R Tubular Glass Injection Vials 16x13 mm without cap. PN: APG Europe 1016479

200.897/1

STANDARD




4 ML HPLC VIAL WITH FLAT BOTTOM

4 mL screw-thread HPLC vial with flat bottom, designed for use with Waters® WISP® (48-position) and Shimadzu™ autosamplers. Dimension: Ø 15 x 45 mm (VWR® #82028-438).

200.870/1

STANDARD




5 ML TRANSPORT STM TUBE

5 mL Transport STM tubes in a 5x4 position Domino. Part No: Qiagen 1081184. Dimensions: 75.55mm x 21.10mm.

205.068/1

STANDARD




4 ML TUBE WITH FLAT BOTTOM

4 mL glass or plastic sample vial, dimensions: Ø 17 x 38 mm, screw thread size: 15-425 (Wheaton® #224822).

200.735/2

STANDARD




5 ML ADVIA CENTAUR

ADVIA Centaur Sample Sample Tube of 5 mL for Serum, plasma, urine. Includes plastic removable cap. Tube 100mm x 12 mm with conical bottom. PN: 078-K1370-01

205.020/1

STANDARD






5 ML AMPULE

5 mL borosilicate glass ampule, dimensions: Ø 16.5 x 84 mm.
(Wheaton® 176779).

200.777/1

INTEGRATED
RACK




5 ML CENTREX CENTRIFUGE FILTERS

Centrex Centrifuge Filters 5 mL, Spin Filter Tube with removable filter.
PN: 28415921.

205.034/1

STANDARD




5 ML HIGH RECOVERY SCREW CAP VIALS

Glass High Recovery Vials with Screw Cap 9.11x22 mm.
Wheaton PN: W986289NG

205.031/1

STANDARD




5 ML ROUND BOTTOM TUBE (Ø11.6MM)

Falcon® 5 mL round bottom Polystyrene Test Tube with snap cap. Dimensions
11.6 x 73.5 mm, BD FAL352003 IN A DOMINO WITH 6x5 POSITIONS.

200.801/2

STANDARD




5 ML TUBE WITH ROUND BOTTOM

Falcon® 5 mL round Bottom Polystyrene Test Tube with snap cap,
Dimension: Ø 12 x 75 mm (BD FAL352003).

200.801/1

STANDARD



200.855/1

STANDARD




5 ML SCREW CAP CRYOTUBE WITH REMOVABLE CAP

5 mL Screw Cap cryotube with skirt and removable cap. Excellent for freezer
storage or secure sample handling. Dimension: Ø 11 x 84 mm (Nalgene
#5000-0050).

200.830/1

STANDARD






6 ML BD AMBER GLASS VIAL

6 mL amber glass vial for BD with screwable cap. PN: 62DAMDCB15

205.012/1

STANDARD




6 ML GLASS INJECTION VIALS

6 mL Type I Glass Vials clear round with 13 mm neck. PN:14027600.

200.826/1

STANDARD




7 ML LYSING TUBE

7 mL reinforced tubes designed for homogenization, grinding and lysing on Precellys Evolution (Precellys® KT03961-1-404.7).

200.868/1

STANDARD




7.2 ML VIAL WITH FLAT BOTTOM (2 DRAM)

Reaction vials, pressure relief with capacity of 2 dram. (Chemglass CG-4912-02). Stirrer not included.

200.732/1

MAGNETIC
STIRRER




8 ML VACUTAINER

Standard vacutainer for blood. Glass or plastic vial, 8 mL draw capacity (Ø 16 x 125 mm tube size) sterile tube (BD #362761).

200.852/1

STANDARD




10 ML GLASS INJECTION VIAL 6R

10 mL clear and amber neutral Type I tubular glass. Injection Vials/Lyophilisation (Lyo). PN: 1016862

205.006/1

STANDARD




10 ML BARCODED STORAGE TUBE (FLUIDX)

10 ml, Sample Storage Tube with 2D Barcode and Jacket. 24 well format rack with TwistLock and no lid. (FluidX #65-9455).

200.704/1

RACK






10 ML BLOOD COLLECTION TUBE

Standard blood collection tube with detachable cap, made both in plastic and glass (also called vacutainer or blood tube). PN: 366480

200.854/1

STANDARD




11.5 ML TUBES WITH ROUND BOTTOM

11.5 mL tubes with round bottom used in Miniblock XT (Mettler Toledo).

200.764/1

RACK




14 ML PROCESSED SUREPATH CENTRIFUGE TUBE (BD)

14 mL processed surepath centrifuge tube (BD).
Part No: 490515. Dimensions: 16.79mmx109.52mm

205.072/1

STANDARD




14 ML FALCON ROUND BOTTOM TUBES

Falcon® 17x100mm, 14 mL high-clarity polypropylene (PP) round bottom test tubes have a 3,000 RCF rating. Each tube features printed white graduations and a writing patch. Come with dual-position polyethylene snap caps, which offer both vented and fully closed positions. Corning #352006.

205.022/1

STANDARD



15 ML CONICAL CENTRIFUGE TUBE



Plastic 15 mL tube, conical bottom (without skirt) and screwable cap, mainly used for centrifugation - also called 15 mL Falcon tube. (Corning #352097).

200.712/3

STANDARD



24 tubes 15mL





200.912/1



COOLED

200.174/1

STANDARD



200.284/1



COOLED




15 ML TUBES WITH ROUND BOTTOM

Translucent polypropylene tube with 15 mL capacity designed to provide excellent chemical resistance. Perkin Elmer PN: N0777167

200.793/1

RACK  




20 ML SCINTILLATION GLASS VIAL

Small Screw-cap glass bottle, capacity: 20 mL, dimensions: Ø 28.5 x 60 mm (Wheaton® # 98656).

200.871/1

STANDARD 




20 ML SCINTILLATION PLASTIC VIAL

Small Screw-cap plastic bottle, capacity: 20 mL, dimensions: Ø 27 x 60 mm (Wheaton® #986700)

200.820/1

STANDARD 




23.5 ML SUREPATH LIQUID- BASED PAPTEST VIAL

SurePath Liquid-based PapTest are collection and preservative vials for gynecological applications. PN: 490527. Dimensions: 24.60x50.67mm

205.066/1

STANDARD 




30 ML CULTURE TUBE

KIMAX® Borosilicate Glass Screw Thread Culture Tubes with PTFE-Faced Rubber Lined Caps, dimensions 25 x 100 mm (Kimble #45066-20150).

200.903/1


STANDARD  




35 ML TUBE FLAT BOTTOM

35 mL Glass tube with flat bottom Clear or amber tube made from borosilicate glass. Screw caps available separately. Capacity : 35 mL, dimensions: Ø 29 x 83 mm. PN: L98/3

200.766/1

STANDARD 







40 ML VIAL WITH FLAT BOTTOM

40 mL glass vial, dimensions: Ø 28 x 95 mm, 24-414 Thread with Red Pressure Relief Cap (Chemglass CG-4912-06). Stirrer not included.


200.733/1

MAGNETIC
STIRRER 



200.825/1

STANDARD 




50 ML CONICAL CENTRIFUGE TUBE

Plastic 50 mL tube, conical bottom (without skirt) and screwable cap. Also called Falcon tube or centrifuge tube. (Corning #352070).





200.174/1

STANDARD 




200.284/1

COOLED 





200.705/1

RACK  





200.839/1

STANDARD 



200.832/1

COOLED 





50 ML LEUCOSEP TUBE

LeucoSep™ Centrifuge Tubes 50 mL. Designed for optimal separation of lymphocytes and peripheral mononuclear cells by means of density gradient centrifugation. (Greiner Bio One #227290).



200.866/1

STANDARD 



TIP



Use the Liquid Level Wand accessory (LLW) to have Andrew verify the liquid levels off all stock solutions on the working deck




50 ML SELF-STANDING
CENTRIFUGE 50ML TUBE

Plastic 50 mL tube, self-standing conical bottom (with skirt) and screwable cap. Also called Falcon tube or centrifuge tube. (Corning #430897).

200.896 / 1

RACK  




55 ML CULTURE TUBE

KIMAX® Borosilicate Glass Screw Thread Culture Tubes with PTFE-Faced Rubber Lined Caps, dimensions 25 x 150mm (Kimble #45066A-25150).

200.880 / 1

STANDARD  



ICON DESCRIPTION

 STANDARD

Dominos of this type hold consumables at an ambient temperature and do not perform any active functions on the working deck.

 COOLED


Dominos of this type use a gel pack technology that allows for 4C control for approximately 3-5 hours depending on the consumable type.

 RACK

Dominos of this type allow the use of an existing rack of tubes/vials that are commercially and commonly available from other vendors. The rack is not supplied with the domino.

 INTEGRATED RACK

Dominos of this type allow the user to take advantage of an easy to handle rack of tubes/vials. However, integrated racks are developed internally by Andrew Alliance for use with Andrew and are supplied with the domino.

 HEATING/COOLING

Dominos of this type allow for peltier control heating and cooling of a domino block and the associated consumables. Temperature range can be between 4-95C and is controlled by the user.

 MAGNETIC STIRRER

Dominos of this type allow for the use of a magnetic stirrer (specifically VP Scientific model # 710D2CE) to enable stirring directly on Andrew's working deck. Magnetic stirrer is not supplied with domino purchase. Only 1 of Domino part # 200.733/1 can be used on Andrew's deck at the same time

 XL ONLY

Compatible with only R-XL, G-XL and 10KR Andrew Models.

 LLW COMPATIBLE

Dominos of this type are compatible with Andrew's Liquid Level Wand (LLW) which uses sound waves to determine the location of liquid levels on the working deck.

To learn more, request a quote,
or place an order please contact
your local sales manager or reach us
via any of the below methods...

> PHONE:
+41 22 518 03 57
+1 781 761 0119

> EMAIL:
contact@andrewalliance.com

www.andrewalliance.com





Andrew Alliance

www.andrewalliance.com

+41 22 518 03 57

21 Chemin Grenet
1214 Vernier, Switzerland

+1 781 761 0119

135 Beaver St
Waltham MA 02452, USA